

**REMARKS**

Applicant acknowledges the objection of the Examiner regarding the mis-spelling of the word "methacrylic" in the specification and in the claims. Accordingly, Applicant has amended pages 5, 10, 12 and 14-16 of the Specification to correct the spelling of the word "methacrylate" and has amended claims 5 and 6, respectively. Accordingly, the objection to the specification and claims should now be withdrawn.

Applicant acknowledges that claims 1-27 are allowable over the prior art and would be allowed upon correction of the mis-spelling of the word "methacrylate".

Reconsideration and allowance of claims 1-27 is respectfully solicited.

Respectfully submitted  
Attorney for Applicants,

Dated: May 17, 2007

By: 

Eugene Lieberstein  
Registration No. 24,645

CUSTOMER NO. 01109

ANDERSON KILL & OLICK, P.C.  
1251 Avenue of the Americas  
New York, New York 10020-1182  
(212) 278-1000

**CERTIFICATE OF TRANSMISSION**

I hereby certify that this *Amendment* is being deposited with the Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450 via EFS-Web on May 17, 2007.

Audrey De Souza (Typed or printed name of person mailing paper or fee)

 (Signature of person mailing paper or fee)